

WIWA

Quick Install Guide NVS-301 Network Video Server

Version: 1.0

26 April 2007


Quick Install Guide

1 . Internet connection

You must have a successful connection, you can test it by command PING.


Network video server and the PC should in the same networking environment, and their Private IP Address should be on the same Subnet.

If you want test it fast, please set your PC address like 192.168.1.22
Because NVS-301 default IP is 192.168.1.126



```
Command Prompt
Route Table
=====
Interface List
0x1 ...00 19 b9 5d f5 09 .... MS TCP Loopback interface
0x2 ...00 19 b9 5d f5 09 .... Broadcom 440x 10/100 Integrated Controller - Packet Scheduler Miniport
0x3 ...00 19 d2 bc 46 d8 .... Intel(R) PRO/Wireless 3945ABG Network Connection - Packet Scheduler Miniport
=====
Active Routes:
Network Destination     Netmask          Gateway        Interface Metric
          127.0.0.0    255.255.255.0   127.0.0.1    127.0.0.1         1
          192.168.1.0    255.255.255.0   192.168.1.22  192.168.1.22        20
          192.168.1.22    255.255.255.255  127.0.0.1    127.0.0.1        20
          192.168.1.255   255.255.255.255  192.168.1.22  192.168.1.22        20
          224.0.0.0     240.0.0.0       192.168.1.22  192.168.1.22        20
          255.255.255.255 255.255.255.255  192.168.1.22  192.168.1.22        1
          255.255.255.255 255.255.255.255  192.168.1.22          3         1
=====
Persistent Routes:
None
D:\Documents and Settings\suyi>
```

This is your IP address




```
Command Prompt
192.168.1.0  255.255.255.0      192.168.1.22  192.168.1.22  20
192.168.1.22  255.255.255.255   127.0.0.1    127.0.0.1  20
192.168.1.255 255.255.255.255  192.168.1.22  192.168.1.22  20
224.0.0.0     240.0.0.0       192.168.1.22  192.168.1.22  20
255.255.255.255 255.255.255.255  192.168.1.22  192.168.1.22  1
255.255.255.255 255.255.255.255  192.168.1.22          3  1
=====
Persistent Routes:
None
D:\Documents and Settings\suyi>ping 192.168.1.126
Pinging 192.168.1.126 with 32 bytes of data:
Reply from 192.168.1.126: bytes=32 time<1ms TTL=255

Ping statistics for 192.168.1.126:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 0ms, Maximum = 0ms, Average = 0ms
D:\Documents and Settings\suyi>
```

Use command PING test connection

Quick Install Guide

2 . Start IE Browser




Quick Install Guide

3. Setup OCX download automatically on IE browser


3.1 Press [Tools]

3.2 Select [Internet Options...]



Quick Install Guide


4 . Select [Security]



Quick Install Guide**5 . Select [Custom Level...]**


Quick Install Guide

6 . Set [Download unsigned ActiveX controls]
from [Disable] change to [Prompt]



Quick Install Guide


7. Set [Initialize and script ActiveX controls not marked as safe] from [Disable] change to [Prompt]



Quick Install Guide**8 . Save setup config**


8.1 Press [OK], one dialog box pop up

8.2 Select [Yes] at "Warning!" box




Quick Install Guide

9 . Press [OK] come back IE



Quick Install Guide

10 . Come back IE Browser, Input Network Video Server IP address



Quick Install Guide**11. Enter IE login User Name, Password**

default username :admin
password: [no password]

The default user name is admin, and you don't have to enter the password. Click OK





Quick Install Guide

10 . Install ActiveX control at IE Browser


10.1 Press this item below address , select [Install ActiveX controls]

10.2 Select [Install] at pop-up box



Quick Install Guide

11 . When Black box coming , Press[Play] button display image from network video server



If black windows not display, please press [Refresh] button, and run STEP 10 again