





HORIZONTAL EVAPORATOR COILS



Description / Application

- Compact, versatile, right or left horizontal position.
- Designed for attic, crawl space, or basement applications.
- Heat pump or straight cooling applications.

Cabinet Construction


• Galvanized steel cabinet.

Standard Equipment

- Copper tube, aluminum coil construction.
- Non-metal rust proof drain pan with secondary drain.
- Check-flowrater expansion device.
- Fully insulated cabinet.

Made in the USA by:
Goodman Manufacturing Company, L.P.
2550 North Loop West, Suite 400
Houston, Texas 77008
www.goodmanmfg.com

HORIZONTAL EVAPORATOR COILS 2 THRU 5 TONS (WITH FLOWRATER)



HORIZONTAL COILS

DIMENSIONS						SPECIFICATIONS				
COIL MODEL	NOMINAL TONS	Α	В	C	NOMINAL CFM	STATIC PRESSURE WET COIL	NO. ROWS	LIQUID CONN	SUCTION CONN	SHIP WT.
H-24F	2	25-1/2	16	6	800	.07	2	3/8	3/4	26
H-36F	3	25-1/2	16	6	1200	.15	3	3/8	3/4	42
H-49F	4-1/2	33-1/2	24	6	1800	.20	3	3/8	7/8	53
H-60F	5	39-1/2	30	6	2150	.22	3	3/8	7/8	58
H-61F	5	39-1/2	30	6	2150	.24	4	3/8	7/8	65

^{*}CONVERTIBLE TO EXPANSION -VALVE WITH THE ADDITION OF AN XV24-60 EXPANSION KIT.

NOTE: SPECIFICATIONS AND PERFORMANCE DATA LISTED HEREIN ARE SUBJECT TO CHANGE WITHOUT NOTICE.